
We Claim:

A 3'-substituted-β-L nucleoside of the formula (I):



or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

X is O, S, SO₂ or CH₂; and

BASE is a purine or pyrimidine base that may optionally be substituted.

- 2. The compound of claim 1, wherein X is do
- 3. The compound of claim 2, wherein R^2 is CO_{ϵ} alkyl.
- 4. The compound of claim 2, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and


- \mathfrak{T} . The compound of claim 4, wherein \mathbb{R}^2 is L-valinyl.
- 6. The compound of claim 2, wherein R^1 is hydrogen.
- 7. The compound of claim 2, wherein \mathbb{R}^1 is CO-alkyl.
- 8. The compound of claim 2, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 9. The compound of claim 8, wherein R¹ is L valinyl.
- 10. The compound of claim 9, wherein R and R² are independently L-valinyl.
- 11. The compound of claim 1, wherein the \S -substituted- β -L nucleoside is a β -L-2'-deoxypurine of the formula:



or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl,

alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

Y is OR^3 , NR^3R^4 or SR^3 ; and

 X^1 and X^2 are independently selected from the group consisting of H, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, halogen, OR^5 , NR^5R^6 or SR^5 ; and

R³, R⁴, R⁵ and R⁶ are independently H, straight chained, branched or cyclic alkyl, dialkylaminoalkylene (in particular, dimethylaminomethylene), CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 12. The compound of claim 11, wherein R² is CO-alkyl.
- The compound of claim 11, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 14. The compound of claim 13, wherein R² is L-valinyl
- 15. The compound of claim 11, wherein R¹ is hydrogen.
- 16. The compound of claim 11, wherein R¹ is CO-alkyl.
- 17. The compound of claim 11, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).


- 18. The compound of claim 17, wherein R¹ is L-valinyl.
- 19. The compound of claim 11, wherein R¹ is hydrogen and R² is L-valinyl.
- 20. The compound of claim 11, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure; or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 21. The compound of claim 20, wherein R¹ and R² are independently L-valinyl.
- 22. The compound of claim 11, wherein the β -L-2'-deoxypurine is a β -L-2'-deoxyadenosine of the formula:



or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl,

alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative; and

R³ and R⁴ are independently H, straight chained, branched or cyclic alkyl, dialkylaminoalkylene (in particular, dimethylaminomethylene), CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 23. The compound of daim 22, wherein R^2 is CO-alkyl.
- 24. The compound of claim 23, wherein the CO-alkyl is CO-methyl.
- 25. The compound of claim 23, wherein the CO-alkyl is CO-propyl.
- 26. The compound of claim 2/ wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure; or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

- 27. The compound of claim 26, wherein R² L-valinyl.
- 28. The compound of claim 22, wherein R¹ is hydrogen.
- 29. The compound of claim 22, wherein R¹ is not hydrogen.
- 30. The compound of claim 22, wherein R¹ is CO-alkyl.
- 31. The compound of claim 30, wherein the CO-alky is CO-methyl.
- 32. The compound of claim 30, wherein the CO-alkyl is CO-propyl.
- 33. The compound of claim 22, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 34. The compound of claim 33, wherein R¹ is L-valinyl.
- 35. The compound of claim 22, wherein R^1 is hydrogen and R^2 is CO-alkyl.
- 36. The compound of claim 22, wherein R^1 is hydrogen and R^2 is L-valinyl.
- 37. The compound of claim 22, wherein R¹ and R² are independently acyl.
- The compound of claim 22, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^3)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure, or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

- 39. The compound of claim 38, wherein R^1 and R^2 are independently L-valinyl.
- 40. The compound of claim 38, wherein R³ and R⁴ are hydrogen.
- 41. The compound of claim 38, wherein R³ is hydrogen and R⁴ is dimethylaminomethylene.
- 42. The compound of claim 38, wherein R³ is hydrogen and R⁴ is CO-alkyl.
- 43. The compound of claim 38, wherein R^3 is hydrogen and R^4 is CO-methyl.
- 44. The compound of claim 38, wherein R³ is hydrogen and R⁴ is L-valinyl.

The compound of claim 11, wherein the β -L-2'-deoxypurine is β -L-2'-deoxypurine of the formula:

or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkaxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative; and

R⁵ and R⁶ are independently II, straight chained, branched or cyclic alkyl, dialkylaminoalkylene (in particular, dimethylaminomethylene), CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 46. The compound of claim 45, wherein R² is CO-alky
- 47. The compound of claim 46, wherein the CO-alkyl is CO-methyl.
- 48. The compound of claim 46, wherein the CO-alkyl is CO-propyl.
- 49. The compound of claim 45, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 50. The compound of claim 49, wherein R² is L-valinyl.
- 51. The compound of claim 45, wherein R¹ is hydrogen.
- 52. The compound of claim 45, wherein R¹ is not hydrogen.
- 53. The compound of claim 45, wherein R¹ is CO-alkyl.
- 54. The compound of claim 53, wherein the CO-alkyl is CO-methyl.
- 55. The compound of claim 53, wherein the CO-alkyl is CO-propyl.
- 56. The compound of claim 45, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic molety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including bat not limited to methyl, ethyl, propyl, and cyclopropyl).


- 57. The compound of claim 56, wherein R¹ is L-valinyl.
- 58. The compound of claim 45, wherein R¹ is hydrogen and R² is CO-alkyl.
- 59. The compound of claim 45, wherein R¹ is hydrogen and R² is L-valinyl.
- 60. The compound of claim 45, wherein R^1 and R^2 are independently acyl.
- The compound of claim 45, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 62. The compound of claim 61, wherein R^1 and R^2 are independently L-valinyl.
- 63. The compound of claim 62, wherein R⁵ and R⁶ are hydrogen.
- 64. The compound of claim 62, wherein R⁵ is hydrogen and R⁶ is dimethylaminomethylene.
- 65. The compound of claim 62, wherein R⁵ is hydrogen and R⁶ is CO-alkyl.
- 66. The compound of claim 62, wherein R⁶ is hydrogen and R⁶ is CO-methyl.
- 67. The compound of claim 62, wherein R⁵ is hydrogen and R⁶ is L-valinyl.
- The of claim 11, wherein the β -L-2'-deoxypurine is β -L-2'-deoxyinosine of the formula:



or its pharmaceutically acceptable salt thereof wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di) or triphosphate, or a phosphate derivative; and

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 69. The compound of claim 68, wherein R² is CO-alkyl.
- 70. The compound of claim 69, wherein the CO-alkyl is CO-methyl.
- 71. The compound of claim 69, wherein the CO-alkyl is CO-propyl.

The compound of claim 68, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 73. The compound of claim 72, wherein R² is L-valinyl.
- 74. The compound of claim 68, wherein R is hydrogen.
- 75. The compound of claim 8, wherein R¹ is not hydrogen.
- 76. The compound of claim 68, wherein R¹ is CO-alkyl.
- 77. The compound of claim 76, wherein the CQ-alkyl is CO-methyl.
- 78. The compound of claim 76 wherein the CO-pikyl is CO-propyl.
- 79. The compound of claim 68, wherein \mathbb{R}^1 is an amino acid residue of the formula $C(O)C(\mathbb{R}^8)(\mathbb{R}^9)(\mathbb{N}\mathbb{R}^{10}\mathbb{R}^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or arkl; and

- 80. The compound of claim 79, wherein R¹ is L-valinyl.
- 81. The compound of claim 68, wherein R^1 is hydrogen and R^2 is CO-alkyl.
- 82. The compound of claim 68 wherein R¹ is hydrogen and R² is L-valinyl.
- 83. The compound of claim 68, wherein R^1 and R^2 are independently acx.

The compound of claim 68, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein


R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

85. The compound of λ aim 84, wherein R^1 and R^2 are independently L-valinyl.

86. The compound of claim 2, wherein the 3-substituted- β -L nucleoside is a β -L-2'-deoxypyrimidine of the formula:



or its pharmaceutically acceptable salt therein, wherein

R¹ is selected from the group consisting of H, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

Y is OR³, NR³R⁴ or SR³;

X¹ is selected from the group consisting of H, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, halogen, OR⁵, NR⁵R⁶ or SR⁵; and

R⁴, R⁵ and R⁶ are independently H, straight chained, branched or cyclic alkyl, dialkylaminoalkylene (in particular, dimethylaminomethylene), CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 87. The compound of claim 86, wherein R² is CO-alkyl.
- 88. The compound of claim 86, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure, or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and


R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 89. The compound of claim 88, wherein R is L-valinyl.
- 90. The compound of claim 86, wherein R¹ is hydrogen.
- 91. The compound of claim 86, wherein R is CQ-akyl.
- 92. The compound of claim 86, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

- 93. The compound of claim 92, wherein R¹ is L-valinyl.
- 94. The compound of claim 86, wherein R¹ is hydrogen and R² is L-valinyl.




 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure; or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 96. The compound of claim 55, wherein R¹ and R² are independently L-valinyl.
- 97. The compound of claim 86, wherein the β -L-2'-deoxypyrimidine is a β -L-2'-deoxycytidine of the formula:



or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative;

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative; and

R³ and R⁴ are independently H, straight chained, branched or cyclic alkyl, dialkylaminoalkylene (in particular, dimethylaminomethylene), CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl,

aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 98. The compound of claim 97, wherein R² is CO-alkyl.
- 99. The compound of claim 98, wherein the CO-alkyl is CO-methyl.
- 100. The compound of claim 98, wherein the CO-alkyl is CO-propyl.
- 101. The compound of claim 97, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 102. The compound of claim 101, wherein R is L-valinyl.
- 103. The compound of claim 97, wherein R¹ is hydrogen.
- 104. The compound of claim 97, wherein R¹ is not hydrogen.
- 105. The compound of claim 97, wherein R¹ is CO-alkyl
- 106. The compound of claim 105, wherein the CO-alkyl is CO-methyl.
- 107. The compound of claim 105, wherein the CO-alkyl is CO-propyl.
- 108. The compound of claim 97, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

- 109. The compound of claim 108, wherein R¹ is L-valinyl.
- 110. The compound of claim 97, wherein R^1 is hydrogen and R^2 is CO-alkyl.
- 111. The compound of claim 97, wherein R¹ is hydrogen and R² is L-valinyl.
- 112. The compound of claim 97, wherein R¹ and R² are independently acyl.
- 113. The compound of claim 97, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 114. The compound of claim 113, wherein R¹ and R² are independently L-valinyl.
- 115. The compound of claim 1/14, wherein R^3 and R^4 are hydrogen.
- 116. The compound of claim 114, wherein R³ is hydrogen and R⁴ is dimethylaminomethylene.
- 117. The compound of claim 114, wherein R is hydrogen and R⁴ is CO-alkyl.
- 118. The compound of claim 117, wherein R³ is hydrogen and R⁴ is CO-methyl.
- 119. The compound of claim 114, wherein R³ hydrogen and R⁴ is L-valinyl.
- 120. The compound of claim 86, wherein the β -L-2'-deoxypyrimidine is a β -L-2'-deoxyuridine of the formula:

or its pharmaceutically acceptable salt thereof, wherein

R¹ is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative; and

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative.

- 121. The compound of claim 120, wherein R² is CO-alkyl.
- 122. The compound of claim 121, wherein the CO-alkyl is CO-methyl.
- 123. The compound of claim 121, wherein the CO-alkyl is CO-propyl.
- The compound of claim (20), wherein (20) is an amino acid residue of the formula (20) $(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

- 125. The compound of claim 124, wherein R² is L-Valinyl.
- 126. The compound of claim 120, wherein R¹ is hydrogen.
- 127. The compound of claim 120, wherein R¹ is not hydrogen.
- 128. The compound of claim 20, wherein R¹ is CO-alkyl.
- 129. The compound of claim 128, wherein the CO-alkyl is Co-methyl.
- 130. The compound of claim 128, wherein the CO-alkyl is CO-propyl.
- 131. The compound of claim 120, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 132. The compound of claim 131, wherein R¹ is L-valinyl.
- 133. The compound of claim 120, wherein R¹ is hydrogen and R² is CO-alkyl.
- 134. The compound of claim 120, wherein R¹ is hydrogen and R² is L-valinyl.
- 135. The compound of claim 120/wherein R¹ and R² are independently acyl.
- 136. The compound of claim 20, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^1)(NR^{10}R^{11})$, wherein

 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure; or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 137. The compound of claim 136, wherein R and R² are independently L-valinyl.
- 138. The compound of claim 86, wherein the β -L-2'-deoxypyrimidine is a β -L-thymidine of the formula:

or its pharmaceutically acceptable salt thereof, wherein

R is hydrogen, straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or a phosphate derivative; and

R² is selected from the group consisting of straight chained, branched or cyclic alkyl, CO-alkyl, CO-aryl, CO-alkoxyalkyl, CO-aryloxyalkyl, CO-substituted aryl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, amino acid residue, mono, di, or triphosphate, or aphosphate derivative.

- 139. The compound of claim 138, wherein R is CO-alkyl.
- 140. The compound of claim 139, wherein the CO-alkyl is CO-methyl.
- 141. The compound of claim 139, wherein the CO-alkyl is CO-propyl.
- 142. The compound of claim 138, wherein R^2 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl; and

- 143. The compound of claim 42, wherein R² is 1-valinyl.
- 144. The compound of claim [38, wherein R¹ is hydrogen
- 145. The compound of claim 138, wherein R¹ is not hydrogen.
- 146. The compound of claim 138, wherein R¹ is CO-alkyl.
- 147. The compound of claim 146, wherein the CO-alkyl is CO-methyl.
- 148. The compound of claim 146, wherein the CO-alkyl is CO-propyl
- 149. The compound of claim 138, wherein R^1 is an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein

R⁸ is the side chain of an amino acid and wherein, as in proline, R⁸ can optionally be attached to R¹⁰ to form a ring structure; or alternatively, R⁸ is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R9 is hydrogen, alkyl (including lower alkyl) or aryl; and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 150. The compound of claim 149, wherein R¹ is L-valinyl.
- 151. The compound of claim 138, wherein R¹ is hydrogen and R² is CO-alkyl.
- 152. The compound of claim 138, wherein R\is hydrogen and R² is L-valinyl.
- 153. The compound of claim 138, wherein R and R² are independently acyl.
- 154. The compound of claim 138, wherein R^1 and R^2 are independently an amino acid residue of the formula $C(O)C(R^8)(R^9)(NR^{10}R^{11})$, wherein


 R^8 is the side chain of an amino acid and wherein, as in proline, R^8 can optionally be attached to R^{10} to form a ring structure; or alternatively, R^8 is an alkyl, aryl, heteroaryl or heterocyclic moiety;

R⁹ is hydrogen, alkyl (including lower alkyl) or aryl, and

R¹⁰ and R¹¹ are independently hydrogen, acyl (including an acyl derivative attached to R⁸) or alkyl (including but not limited to methyl, ethyl, propyl, and cyclopropyl).

- 155. The compound of claim 154, wherein R¹ and R² are independently L-valinyl.
- 156. A compound of the formula

or its pharmaceutically acceptable salt thereof.




or its pharmaceutically acceptable salt thereof.

- 158. A pharmaceutical composition for the treatment or prophylaxis of a hepatitis B virus infection in a host comprising the compound of claim 1, or its pharmaceutically acceptable salt, together with a pharmaceutically acceptable carrier or diluent.
- 159. A pharmaceutical composition for the treatment or prophylaxis of a hepatitis B virus infection in a host comprising the compound of claim 1, or its pharmaceutically acceptable salt, in combination with one or more anti-hepatitis B virus agent.
- 160. The composition of claim 159 wherein the anti-hepatitis B virus agent is a β -L-deoxyribonucleoside.
- 161. The composition of claim 160 wherein the β-L-deoxyribonucleoside is selected from the group consisting of β-L-deoxyribothymidine (β-L-dT), β-L-deoxyribocytosine (β-L-dC), β-L-deoxyribouridine (β-L-dU), β-L-deoxyriboadenine (β-L-dA), β-L-deoxyriboguanine (β-L-dG) or β-L-deoxyribo-hosine (β-L-dI).
- 162. The composition of claim 161 wherein the β -L-deoxyribonucleoside is β -L-deoxyribothymidine (β -L-dT).

163. A pharmaceutical composition comprising a compound of the formula

or its pharmaceutically acceptable salt thereof, in combination with $\beta\text{-L-}$ deoxyribothymidine.

A pharmaceutical composition comprising a compound of the formula



or its pharmaceutically deoxyribothymidine.

165. A method for the treatment or prophylaxis of a hepatitis B virus infection in a host, comprising administering a therapeutic amount of the compound of claim 1, or its pharmaceutically acceptable salt thereof.

166. The method of claim 165, wherein the compound is of the formula

or its pharmaceutically acceptable salt thereof.

167. The method of claim 165, wherein the compound is of the formula

or its pharmaceutically acceptable salt thereof.

- 168. A method for the treatment or prophylaxis of a hepatitis B virus infection in a host, comprising administering a therapeutic amount of a pharmaceutical composition comprising the compound of claim 1, or its pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.
- 169. A method for the treatment or prophylaxis of a hepatitis B virus infection in a host, comprising administering a therapeutic amount of a compound of claim 1, or its pharmaceutically acceptable salt thereof, in combination or alternation with a therapeutic amount of one or more other anti-hepatitis B agent.
- 170. The method of claim 169 wherein the anti-hepatitis B virus agent is a β -L-deoxyribonucleoside.

- The method of claim 170 wherein the β-L-deoxyribonucleoside is selected from the group consisting of β-L-deoxyribothymidine (β-L-dT), β-L-deoxyribocytosine (β-L-dC), β-L-deoxyribouridine (β-L-dU), β-L-deoxyriboadenine (β-L-dA), β-L-deoxyriboguanine (β-L-dG) or β-L-deoxyribo-inosine (β-L-dI).
- 172. The method of claim 171 wherein the β -L-deoxyribonucleoside is β -L-deoxyribothymidine (β -L-dT).
- 173. A method for the treatment or prophylaxis of a hepatitis B virus infection in a host, comprising administering a therapeutic amount of a pharmaceutical composition comprising a compound of the formula

or its pharmaceutically acceptable salt thereof, in combination or alternation with a therapeutic amount of β -L-deoxyribothymidine.

174. A method for the treatment or prophylaxis of a hepatitis B virus infection in a host, comprising administering a therapeutic amount of a pharmaceutical composition comprising a compound of the formula

or its pharmaceutically acceptable salt thereof, in combination or alternation with a therapeutic amount of β -L-deoxyribothymidine.

QQQ, therap